Letters to the Editor

Editor's Note: Unlike technical articles, letters are not peer-reviewed, but they are edited for grammar, style, and clarity. Letters provide an outlet for opinions, speculations, anecdotes, and other interesting observations that, by themselves, may not be sufficient or appropriate for a technical article. Letters should be no longer than two manuscript pages and sent to the Feature Editor.

Potential Spring Mating Behavior in the Eastern Pipistrelle (Perimyotis subflavus)

Luke E. Dodd and Joseph S. Johnson

Department of Forestry, University of Kentucky, 214 Thomas Poe Cooper Building, Lexington, KY 40546 Email: luke.dodd@uky.edu

On 5 April 2012, we were conducting a harp-trapping survey of bats at the entrance to Colossal Cave, which is on the property of Mammoth Cave National Park, Edmonson County, Kentucky (N 37° 11' 15.5", W 86° 4' 25.4"). The sky was overcast at dusk, with a temperature at sunset of 13°C. An individual bat was observed at 1921 h CST (ca. 10 min after sunset), flying in a looping pattern (ca. 2-3 m off the ground), outside the cave entrance. Following this behavior, the bat attempted to enter the cave and became entangled in plastic "garden" netting that was used to create a funnel around the harp trap (Kunz and Kurta, 1988). The bat was removed, identified as an eastern pipistrelle (Perimyotis subflavus), and quickly released.

The bat continued to fly in a looping pattern and eventually another bat flew in pursuit of the first individual. Within 1 minute, the two bats landed on the bole of a white oak (Quercus alba), 7 m above the ground. The bats remained in view (ca. 10 m away) throughout the observation period, and we deduced that copulation was occurring because one individual was mounted on the other at all times, both bats were of the same species, and it did not appear that the mounted individual tried to escape from the other. One bat took flight into the forest canopy 4 min

after the assumed copulation began, followed by the second bat 1 min later. Immediately following this observation (1928 h CST), another pair of bats was observed exhibiting a similar looping flight pattern and landed on the bole of a tulip poplar (*Liriodendron tulipifera*) at a height of 9 m. These bats took flight after ca. 1 min, and we could not determine their species.

Mating in P. subflavus occurs from autumn to spring. Although most mating is assumed to take place during autumn swarming, the spring mating that does occur corresponds with the time of ovulation in this species (Fujita and Kunz, 1984; Gutherie, 1933) and likely provides females with an opportunity for re-insemination if viable spermatozoa are lost during hibernation (Krutzsch and Crichton, 1986). Although the overall number and viability of spermatozoa carried by male bats through hibernation are likely reduced (Racey, 1979), the males of this species are adapted to a shorter period of sexual dormancy than other bats in North America (Krutzsch and Crichton, 1986).

Vincent and Whitaker (2007) observed mating in *P. subflavus* on three instances within a hibernaculum from the end of February to the middle of March in western Indiana. The timing of our observations in

central Kentucky extends these dates into spring by almost a month and documents presumed copulatory behavior outside a fertilization and hibernaculum. If implantation took place following our mating observation, the minimum 44 days needed for gestation would place parturition in mid-May (Fujita and Kunz, 1984). Although such a date is earlier than expected for the region, it is consistent with the spring of 2012 being one of the warmest in recent years (University of Kentucky, College of Agriculture, Weather Center: wwwagwx.ca.uky.edu).

Observations of spring mating for other bats in North America that hibernate underground are sparse. LaVal and LaVal (1980) observed mating in the northern bat (Myotis septentrionalis) as late as 10 April. Other members of this genus, the gray bat (M. grisescens) and Indiana bat (M. sodalis) have been reported to mate in April in the hibernacula as well (Cope and Humphrey, Our observations 1977; Saugey, 1978). suggest that, at least for P. subflavus, spring place outside the mating may take hibernaculum.

Literature Cited

- Cope, J. B., and S. R. Humphrey. 1977. Spring and autumn swarming behavior in the Indiana bat, *Myotis sodalis*. Journal of Mammalogy, 58:93–95.
- Fujita, M. S., and T. H. Kunz. 1984. Pipistrellus subflavus. Mammalian Species, 228:1–6.

- Gutherie, M. J. 1933. Reproductive cycles of some cave bats. Journal of Mammalogy, 14: 199–216.
- Krutzsch, P. H., and E. G. Crichton. 1986. Reproduction of the male eastern pipistrelle, *Pipistrellus subflavus*, in the northeastern United States. Journal of Reproduction and Fertility, 76:91–104.
- Kunz, T. H., and A. Kurta. 1988. Capture methods and holding devices. Pages 1–29 in Ecological and behavioral methods for the study of bats (T. H. Kunz, editor). Smithsonian Institution Press, Washington D.C.
- LaVal, R. K., and M. L. LaVal. 1980. Ecological studies and management of Missouri bats, with emphasis on cavedwelling species. Missouri Department of Conservation, Terrestrial Report, 8:1–52.
- Racey, P. A. 1979. The prolonged storage and survival of spermatozoa in Chiroptera. Journal of Reproduction and Fertility, 56:391–402.
- Saugey, D. A. 1978. Reproductive biology of the gray bat, *Myotis grisescens*, in north-central Arkansas. M.S. thesis, Arkansas State University, Jonesboro.
- Vincent, E. A., and J. O. Whitaker, Jr. 2007. Hibernation of the eastern pipistrelle, *Perimyotis subflavus*, in an abandoned mine in Vermillion County, Indiana, with some information on *Myotis lucifugus*. Proceedings of the Indiana Academy of Science, 116:58–65.

BAT RESEARCH NEWS

Volume 53: Number 3

Fall 2012

Publisher and Managing Editor: Dr. Margaret A. Griffiths, 8594 Berwick Circle, Bloomington, IL 61705; E-mail: margaret.griffiths01@gmail.com

Editor for Feature Articles: Dr. Allen Kurta, Dept. of Biology, Eastern Michigan University, Ypsilanti MI 48197; E-mail: akurta@emich.edu

Editor for Recent Literature: Dr. Jacques P. Veilleux, Dept. of Biology, Franklin Pierce University, Rindge NH 03461; E-mail: veilleuxj@franklinpierce.edu

Emeritus Editor: Dr. G. Roy Horst

Bat Research News is published four times each year, consisting of one volume of four issues. Bat Research News publishes short feature articles and general interest notes that are reviewed by at least two scholars in that field. Bat Research News also includes abstracts of presentations at bat conferences around the world, letters to the editors, news submitted by our readers, notices and requests, and announcements of future bat conferences worldwide. In addition, Bat Research News provides a listing of recent bat-related articles that were published in English. Bat Research News is abstracted in several databases (e.g., BIOSIS).

Communications concerning feature articles and "Letters to the Editor" should be addressed to Dr. Al Kurta (akurta@emich.edu), recent literature items to Dr. Jacques Veilleux (veilleuxj@franklinpierce.edu), and all other correspondence (e.g., news, conservation, or education items; subscription information; cover art) to Dr. Margaret Griffiths (margaret.griffiths01@gmail.com).

The prices for one volume-year (4 issues within a single volume) are:

Institutional/Group subscriptions

US \$50.00

Individual subscriptions:

printed edition (U.S.A.)

US \$25.00

printed edition (outside U.S.A)

US \$35.00

Subscriptions may be paid by check or money order, payable to "Bat Research News." Please include both mailing (postal) and e-mail addresses with your payment, and send to Dr. Margaret Griffiths at the address listed above. To pay by credit card (Visa or MasterCard only) or for further information, please go to the Bat Research News website at http://www.batresearchnews.org/ and click on the "Subscription Information" link.

Back issues of Bat Research News are available for a small fee. Please contact Dr. Margaret Griffiths (margaret.griffiths01@gmail.com) for more information regarding back issues. Thank you!

Bat Research News is ISSN # 0005-6227.
Bat Research News is printed and mailed at Illinois Wesleyan University, Bloomington, Illinois, U.S.A.
This issue printed October 15, 2012.

Copyright 2012 Bat Research News. All rights reserved. All material in this issue is protected by copyright and may not be reproduced, transmitted, posted on a Web site or a listserve, or disseminated in any form or by any means without prior written permission from the Publisher, Dr. Margaret A. Griffiths.